

OPERATING HOURS AND FACILITATION PARAMETERS & PRINCIPLES

FOR SALZBURG AIRPORT

ALL TIMES IN UTC

**Changes:
Noise Ban for loud Chapter III aircraft**

Valid from:	15. October 2008 - until further notice		
Doc. Name:	PAR/SZG	Version:	5.1.
Number of Pages:	5	Replaces Version:	5.0.

Salzburg Airport (SZG / LOWS)

IATA Designation: Level 2 (SMA) **EU Designation:** Facilitated

1. Operating Hours:

Days	Summer Timetable		Winter Timetable		Remarks
	From	To	From	To	
Daily	04:00	21:00	05:00	22:00	Quiet A/C according to ICAO Annex 16 Chapter III only, see also 2.2.
Daily	21:00	04:00	22:00	05:00	Night curfew

2. Facilitation Parameters:

2.1 Movements:

Summer Timetable					Winter Timetable				
From / To	per	ARR	DEP	TOT	From / To	per	ARR	DEP	TOT
04:00-19:55	5 Min.	3	3	3	05:00-20:55	5 Min.	3	3	3
	10 Min.	5	5	5		10 Min.	5	5	5
	20 Min.	8	10	10		20 Min.	8	10	10
	60 Min.	10	10	20		60 Min.	10	10	20
20:00-21:00	5 Min.	2	0	2	21:00-22:00	5 Min.	2	0	2
	60 Min.	10	0	10		60 Min.	10	0	10

2.2 Noise Restrictions:

Days	Summer Timetable		Winter Timetable		Remarks
	From	To	From	To	
Daily	04:00	19:55	05:00	20:55	Quiet A/C only; DEP max. 98 dB SEL
Daily	20:00	21:00	21:00	22:00	Quiet A/C only; ARR max. 84 dB SEL

2.3 Passenger Flow Capacity:

Summer Timetable					Winter Timetable				
From / To	per	ARR	DEP	TOT	From / To	per	ARR	DEP	TOT
04:00-19:55	10 Min.	500	700	1200	05:00-20:55	10 Min.	500	700	1200
	60 Min.	1400	1400	2800		60 Min.	1400	1400	2800
20:00-21:00	10 Min.	500	0	500	21:00-22:00	10 Min.	500	0	500
	60 Min.	1400	0	1400		60 Min.	1400	0	1400

2.4 Parking Allocation:

	Large	TOTAL	Remarks
Parking stands	5	17	All timetable periods

3. Facilitation principles:

3.1. Service types for facilitation:

- 3.1.1 In accordance with the amended EU-Regulation 95/93 and Regulation 155/2008 issued by the Ministry of Transport, Innovation & Technology of Austria, all schedule and planned charter flights have to be facilitated.
- 3.1.2 Due to capacity restrictions also positioning flights (Code "P"), technical flights (Code "T"), training flights (Code "K") and technical stops (Code "X") have to be facilitated and will be proved against the relevant capacity.
- 3.1.3 Due to infrastructural and capacity constraints in the General Aviation area of Salzburg Airport, operators using aircraft with more than 19 seats have to be facilitated, as these aircraft will be handled in the main terminal and apron area where parking limitations and passenger flow limitations exist.

3.2. Service types not for facilitation:

- 3.2.1 General Aviation Flights (Code "D") with less than 19 seats, governmental flights (service type "E"); ambulance -, rescue – or humanitarian flights (service type "I") and military flights (service type "W").
- 3.2.2 Operationally required ad hoc flights within the following 48 hours.
- 3.2.3 Operationally required changes of already facilitated flights within the next 48 hours. This rule does not apply for flights with service type codes "C", "G" and "J".
- 3.2.4 However, the airport operator has to be informed about the above mentioned flights in advance.

4. Submission of schedule requests:

- 4.1 All schedule requests have to be sent in SSIM Chapter 6 format either by SITA to VIECPXH or by e-mail to viexp@slots-austria.com with a copy to SZG airport (SZGZZXH or szgzzxh@salzburg-airport.at).
- 4.2 As facilitated schedules are basic and important information for the airport operator, aircraft operators are requested to keep them as accurate as possible.
- 4.3 All schedule requests shall be submitted in turnaround-format (linked arrival and departure, including overnight indication where applicable) due to the apron-constraint at SZG.
- 4.4 Due to the terminal and apron constraints in SZG it is also important to use the exact number of seats and aircraft subtype-codes in SMA-messages.
- 4.5 Ad hoc schedule requests for winter seasons should not be submitted before the return-deadline.

5. Minimum Ground Times (MGT):

- 5.1 Minimum ground times have to be cleared and confirmed with Salzburg Airport (Mrs. Silvia Holleis, szgzzxh@salzburg-airport.at or SZGZZXH).
- 5.2. Handling requests have to be cleared and confirmed with the handling agents available at Salzburg Airport.
- 5.3. The following table should give you an indication of the minimum ground times at Salzburg Airport:

AC-size	MGT in Minutes
Up to 80 seats	20 – 35
Up to 150 seats	45 – 50
Above 150 seats	50 – 90

3.5. Noise Guidelines:

(valid as of 15. October 2008)
SEL at noise measure point 4 – Taxham

	Arrivals shoulder period max. 84 dB SEL	Departures max. 98 dB SEL
Summer timetable (UTC):	20:00 – 20:59	04:00 – 19:59
Winter timetable (UTC):	21:00 – 21:59	05:00 – 20:59

Non operational at all times	
Aircraft Type	
B727	
B732 (73A)	
B747SP	
DC10	
DC9	
MD81	
MD82	
MD83	
MD87	
MD88	
MD90	
TU154	

Non operational during shoulder period	
For Arrivals	
Aircraft Type	SEL dB
AN 26	88,3
A300	87,4
A310	89,1
IL 96	85,8
L1011	89,3
YK42	85,5

Tolerance zone	
For Arrivals	
Aircraft Type	SEL dB
A330	84,3
B734	84,3
B757	84,6
B767	85,3
B777	84,1
TU204	84,5

Operational during operating hours		
	For Arrivals	For Departure
A/C Type	SEL dB	SEL dB
A300	n.a.	95,1
A310	n.a.	96,4
A319	80,2	91,6
A320	82,0	93,9
A321	81,7	96,2
A330	n.a.	96,6
A340	83,1	94,5
AN24	79,4	89,4
AN26	n.a.	93,2
AR1	79,2	88,6
AR7	80,7	90,1
AR8	79,2	89,5
AT42	82,0	80,4
AT43	82,7	79,5
AT45	80,4	81,7
AT72	81,6	83,9
B717	78,3	87,0
B733	83,6	94,3
B734	n.a.	95,4
B735	83,1	93,0
B736	80,8	92,5
B737	83,1	92,6
B738	83,7	94,3
B757	n.a.	94,4
B767	n.a.	95,4
B777	n.a.	95,8
BA46	79,4	87,4
BE1	80,6	81,3
CL65	79,4	83,4
CR7	83,5	87,8
D328	80,3	80,9
DH4	80,0	85,0
DH7	81,4	79,6
DH8	80,2	82,7
ER4	78,9	84,9
FK100	82,4	92,6
FK50	84,0	84,6
FK70	80,9	90,0
IL96	n.a.	96,3
J328	77,5	89,2
J41	79,8	85,2
L1011	n.a.	97,5
SB20	79,4	81,1
SF34	81,9	81,0
TU204	n.a.	96,0
YK40	83,2	92,7
YK42	n.a.	93,3

3.6. Parking Allocation List:

TYPE OF A/C	A/C-Type Group	No.of bays	No.of bays (+ pushback)	No.of bays for Coordination
ATR42	narrow	17	17	17
CRJ	narrow	17	17	17
D38	narrow	17	17	17
DH7	narrow	17	17	17
DH8	narrow	17	17	17
F27	narrow	17	17	17
F50	narrow	17	17	17
S20	narrow	17	17	17
ATP	narrow	17	17	17
AR8	narrow	17	17	17
ATR72	narrow	17	17	17
BAE146	narrow	17	17	17
DH4	narrow	17	17	17
EM4	narrow	17	17	17
F70	narrow	17	17	17
AR1	narrow	17	17	17
733	normal	14	14	14
734	normal	14	14	14
735	normal	14	14	14
736	normal	14	14	14
737	normal	14	14	14
738	normal	14	14	14
73G	normal	14	14	14
A319	normal	14	14	14
A320	normal	14	14	14
F100	normal	14	14	14
YK42	normal	14	14	14
A310	large	6	6	5
A321	large	14	14	5
B757	large	8	8	5
B767	large	6	6	5
TU204	large	8	8	5
A300	large	6	4+2	5
L1011	large	6	4+2	5
A330	large	4	4	5
A340	large	4	4	5
B777	large	4	4	5
IL96	large	4	4	5

Same parking position is available for next aircraft after 15 minutes.